

UPIIIb-2 (Clone C362)

5/17/2016

Description Mouse monoclonal Antibody

Batch prepared 03/24/2014

Immunogen aa 264–CEPGLDPLPSLSP–276

1 MVRTRWQPHPPPLLLLLLVLWLPQSLSLDLIAYVPQITAWDLEGKITATTFSLQPCRFDEHVSTKDTIWLVVAFSNAS 80
81 RDFQNPQTAAKIPTFPQLLTDGHYMTLPLSLDQLPCEDLTGGSGGVPVLRVGNDFGC YQRPYCNAPLPSQGPYSVKF 157
158 LVMDAAGPPKAETKWSNPIYLHQGNPNPIDTWPGRRSGCMIVITSILSALAGLLLLAFLAASTTRFSSLWWPEEAPEQL 237
238 RIGSFMGKRYMTHHIPPSEAATLPVGCCEPGLDPLPSLSP ^{TM1} 276
C362

Isotype IgG

Antigen species Mouse

Species reactivity Mouse

Volume 80 ul (Purified IgG, 0.5 mg/ml in filter-sterilized PBS with 50% glycerol)

Application notes

Immunofluorescence-paraffin: 1/50-100*

Western blot: 1/500-1000 dilution*


* Optimal dilutions should be determined by the user.

Storage Instructions

Store at -20°C.

Reference & Publications

Unpublished



- A. Western blot analysis of total cell lysate from mouse bladder urothelium using UPIIIb (Clone C358) Mouse MAb.
- B. Immunofluorescence (IF) analysis of formaldehyde-fixed, paraffin-embedded mouse bladder using UPIIIb (Clone C358) Mouse MAb.